AD-A045 019

GEORGIA INST OF TECH ATLANTA SCHOOL OF AEROSPACE ENG--ETC F/6 4/1
UPPER ATMOSPHERE CHEMICAL RELEASE AND SMOKE TRAIL TRIANGULATION--ETC(U)
AUG 77 R G ROPER, H D EDWARDS F19628-74-C-0085
GIT-AER-E-16-648 AFGL-TR-77-0161 NL

UNCLASSIFIED

OF AD A045019


















END DATE 11 -77 DDC





AFGL-TR-77-0161

Upper Atmosphere Chemical Release and Smoke Trail Triangulation, 1974 - 1977

Robert G. Roper Howard D. Edwards

Georgia Institute of Technology School of Aerospace Engineering Atlanta, GA 30332


August 1977

Final Report, Contract F-19628-74-C-0085

Approved for public release, distribution unlimited

AIR FORCE GEOPHYSICS LABORATORIES AIR FORCE SYSTEMS COMMAND UNITED STATES AIR FORCE HANSCOM AFB, Massachusetts 01731





Qualified requestors may obtain additional copies from the Defense Documentation Center. All others should apply to the National Technical Information Service.

UNCL ASSIFIED


DD 1 JAN 73 14734 EDITION OF 1 NOV 65 IS OBSOLETE

19 REPORT DOCUMENTATION PAGE	READ INSTRUCTIONS BEFORE COMPLETING FORM
	O. 3. RECIPIENT'S CATALOG NUMBER
AFGL (TR-77-0161)	(9)
TITLE (and Subtitle)	S. THE OF REPORT & PRIOD COVERED
Upper Atmosphere Chemical Release and Smoke	Final Sep 74 - Aug 777
Trail Triangulation, 1974 - 1977	
Train Transportation, 1574 1577	6. PERFORMING ORG. REPORT NUMBER Final Report E-16-648
AUTHOR(s)	8. CONTRACT OR GRANT NUMBER(S)
Robert G. Roper and Howard D. Edwards	F-19628-74-C-0085
PERFORMING ORGANIZATION NAME AND ADDRESS	10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT MUMBERS
Georgia Institute of Technology	1-7
School of Aerospace Engineering	621016
Atlanta GA 30332	
Air Force Coophysics Laboratories	August 177
Air Force Geophysica Laboratories Hanscom AFB, Massachusetts 01731	13. NUMBER OF PAGES
Monitor/Charles A. Forsberg/LKD	5 (93) 80-1
MONITORING AGENCY NAME & ADDRESS(If different from Controlling Office)	15. SECURITY CLASS. (Of this resort)
	Unclassified
	154. DECLASSIFICATION DOWNGRADING
	SCHEDUCE
S. DISTRIBUTION STATEMENT (of this Report)	GIT-AER-E16-
Approved for public release; distribution unlimi	tea
. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different	from Report)
	/
S. SUPPLEMENTARY NOTES	
	1402 0
	405 7
. KEY WORDS (Continue on reverse side if necessary and identify by block number	or)
U 84 D-1 Db-4	
Upper Atmosphere Release Photography	
. ABSTRACT (Continue on reverse side if necessary and identify by block number	
	dautakan and the thuse
	dertaken and the three
This report reviews the four field trips un	

UNCLASSIFIED
SECURITY CLASSIFICATION OF THIS PAGE (When Date Entered)

## Table of Contents

																								Page
Introduction	•	•		•	•		•	•		•	٠		•	•	•	•	•	•	•	•	•	•	•	2
Field Trips			•	•		•		10	•		•		•		•	•		•	•	•	•			3
Scientific Reports	•			•	•		•		•		•	100			•	•			•	•		•		3
Recommendations .																								4



#### Introduction

For many years the School of Aerospace Engineering at Georgia Tech has provided field support to the Aeronomy division of the Air Force Geophysics Laboratory. In the early 1960's camera and timing equipment was developed specifically for high resolution photography from three sites of upper atmosphere chemical releases in the lower thermosphere to enable triangulation of the chemical release position with time, and the calculation of the winds responsible for the observed dispersion. More recently, this equipment has been used to photograph smoke trails released in the stratosphere.

During this final grant period (1974 - 1977), four field trips were undertaken - one to Fort Churchill, Canada, in March/April of 1975, for the purpose of photographing lower thermospheric releases in an investigation of atmospheric waves generated by aurorae and the auroral electrojet, and three to White Sands, New Mexico, (June 1975, July 1976, and April 1977), where smoke trails were photographed in an investigation of stratospheric dynamics.

Three scientific reports have been published.

- "Chemical Release Triangulation and Winds in the Altitude Range 53 to 160 KM, October, 1973", by Robert G.
   Roper and H. D. Edwards, AFGL-TR-75-0095, March 1975.
- "Chemical Release Triangulation and Winds in the Altitude Range 93 km to 1976 km, October 1973 and June 1974", by Robert G. Roper and H. D. Edwards, AFGL-TR-76-0063, March 1976.
- "A Comparison Between Ground Based and Aircraft Triangulation of Chemical Releases in the Lower Thermosphere",

Robert G.Roper and Howard D. Edwards, AFGL-TR-77-0089, April 1977.

### Field Trips

Photographs were taken of nine rockets launched during April 1975 from the Churchill Research Range, Manitoba, Canada in a program to investigate atmospheric waves generated by the auroral electrojet and the aurora. The program was designed to measure auroral perturbations of ionospheric parameters, such as winds, temperature, densities, electric fields and mass spectra.

In June of 1975, smoke trails from three rockets launched at White Sands Missile Range (WSMR) were photographed. In this, as in the subsequent 1976 and 1977 programs, the objective was the investigation of stratospheric dynamics at relatively small scales of motion.

In July of 1976, one smoke trail was photographed, again at WSMR.

Similarly in April 1977, three smoke trail releases were photographed at WSMR.

As part of this service contract, the films from the cameras at each site were processed by the Photo Lab at Georgia Tech to the desired characteristics requested by the sponsor, and forwarded to AFGL for subsequent analysis.

# Scientific Reports

In "Chemical Release Triangulation and Winds in the Altitude Range 53 to 160 km, October 1973" by Roper and Edwards (AFGL-TR-75-0095, March 1975), chemical release position data from three rockets, and horizontal and vertical wind variation for one of these, were computed and tabulated. The position data was used subsequently by AFGL personnel for the analysis of spectral records of chemical reaction radiance intensities. The wind variations tabulated and graphed for rocket WYNEE (10/19/73), 0615 CDT) are of particular interest in that the released material was titanium tetrachloride, which produced a trail

visible over the height range 53 to 82 KM, much lower than usual for the chemical release technique.

"Chemical Release Triangulation and Winds in the Altitude Range 93 km to 176 km, October 1973 and June 1975" by Roper and Edwards (AFGL-TR-76-0063, March 1976) presented detailed tabulations and graphs of chemical release position data and winds from one rocket (ULYSSA) launched in October 1973, and three rockets (PRE-ALLADIN, ETTY and JOAN) which were part of the international ALLADIN program.

In "A Comparison Between Ground Based and Aircraft Triangulation of Chemical Releases in the Lower Thermosphere" by Roper and Edwards (AFGL-TR-77-0089, April 1977) wind profiles as determined from the ground based triangulation of three ALLADIN rockets are compared with the profiles determined by triangulation from a high flying aircraft. In the light of the improvement in observational and analysis techniques which have been made since 1974, it was concluded that the airborne measurements, although costly, could provide similar accuracy to the groundbased measurements, with the added advantages of not being hampered by surface weather, and cloud cover in particular, accompanied by a reduction in foreground atmospheric scattering which enables photographs of daylight releases to be obtained with a standard camera and relatively simple filter system.

#### Recommendations

Although the chemical release and smoketrail methods of determination of atmospheric dynamics have been in use for some time, it is only in recent years that the full potential of these techniques has been realized. The need for "ground truth" calibration of proposed satellite lower thermospheric dynamics remote sensing instruments, for example, will make further programs such as

ALLADIN, a necessity.

Over the period of this contract, some problems were encountered with the cameras and timing instrumentation. This is not really surprising, in that the equipment has been in use for over fifteen years, in environments ranging from the severe cold of midwinter in the Artic, to the heat and sand of the midsummer desert, with high humidity and sea coast environments also encountered. These problems should not arise in the future, with the use of alternate, more modern equipment.